

# SNE 5 t ECO GB

SMALL WATER HEATER

PRODUCT-NO.: 202135

## Opt for economy and high performance

Water at the right temperature whenever you need it? You're in good hands with our high performance fully electronic small water heater. The preferred temperature can be set to the exact degree, to suit your individual needs. The appliance can be easily switched to power saving operation. One press of a button is all that's needed to activate the ECO function.



## Select the best program

Select one of the three time programs – home, office or custom – and our small water heater will flexibly adapt to your daily routine and minimise energy losses. For example, are you ever away from home at weekends? Automatic shutdown for this period is not a problem. Thanks to the integral hygiene function, you have no need to worry about the growth of germs.

## The main features

---

Small water heater for undersink installation

---

Accurate temperature settings in the range of 30-85 °C thanks to electronic closed-loop control

---

Power saving mode due to optional ECO function

---

No dripping during heat-up, reduced scaling plus water savings thanks to the anti-drip function

---

Energy losses with mixer taps are prevented by the thermostop function

---

Safe use due to adjustable electronic temperature limit as anti-scalding protection

---

Display of operating parameters on illuminated LCD screen

---

Optimum DHW heating with minimum energy losses thanks to three adjustable weekly timers

---

Integral hygiene function to prevent the growth of germs

---

Straightforward installation thanks to standard plug



Type	SNE 5 t ECO GB
Part no.	202135

### Technical data

Connected load	2 kW
Rated output 2	2,0 kW
Power supply	1/N/PE
Rated voltage	230 V
Fuse protection 2	10 A
Frequency	50-60 Hz
Energy efficiency class	A
Standby energy consumption/24 h at 65 °C	0.20 kWh
Standby energy consumption/24 h at 38 °C	0.09 kWh
Nominal capacity	5 l
Mixed water amount at 40 °C	10 l
Temperature setting range	30-85 °C
Version	Small water heater
Type	non-pressurised
Installation type	Undersink
With tap	-
Colour	white
Cable length	0,6 m
Operation	manual
Temperature limit	•
IP rating	IP24 D

Height	421 mm
Width	263 mm
Depth	230 mm
Weight	3.10 kg

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.