

# CNS 100 Trend NC

CONVECTOR HEATERS

PRODUCT-NO.: 202003

## The main features

Electronic controller with LCD

---

Weekly timer with 3 time programs, self-learning function and window open detection

---

Control unit with self-learning capability: Automatic calculation of the preheat time in timer mode

---

Safety through overheating protection

---

Long-lasting tubular stainless steel element with steel fins

---

Time buffering in the case of power outages lasting up to 12 hours





Type	CNS 50 Trend NC	CNS 75 Trend NC	CNS 100 Trend NC
Part no.	202001	202002	202003
Connected load	0,5 kW	0,75 kW	1 kW
Height	450 mm	450 mm	450 mm
Width	348 mm	426 mm	426 mm
Depth	100 mm	100 mm	100 mm

## Technical data

Power supply	{1/N/PE ~ 240V}	{1/N/PE ~240V}	{1/N/PE ~240V}
Rated voltage	240 V	240 V	240 V
Rated current	2,1 A	3,1 A	4,2 A
Setting range	5-30 °C	5-30 °C	5-30 °C
IP-Rating	IP24	IP24	IP24
Protection class	I	I	I
Weight	4 kg	4,6 kg	4,6 kg
Colour	alpine white	alpine white	alpine white



Type	CNS 150 Trend NC	CNS 200 Trend NC
Part no.	202004	202005
Connected load	1,5 kW	2 kW
Height	450 mm	450 mm
Width	582 mm	738 mm
Depth	100 mm	100 mm

#### Technical data

Power supply	{1/N/PE ~240V}	{1/N/PE ~240V}
Rated voltage	240 V	240 V
Rated current	6,3 A	8,3 A
Setting range	5-30 °C	5-30 °C
IP-Rating	IP24	IP24
Protection class	I	I
Weight	6 kg	7,7 kg
Colour	alpine white	alpine white

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.