

CON 5 Premium U

CONVECTOR HEATERS

PRODUCT-NO.: 201278

CON Premium U wall convector – heating with style.

The CON Premium U wall convector offers a unique combination of functionality and aesthetics. The CON Premium U enhances its environment not only by providing pleasant heat, but also through its elegant design.

With the aid of the integral controller, the comfort temperature can be controlled precisely using the 7-day timer – scheduled for 7 days, 5 days, the weekend – or spontaneously for between 10 and 120 minutes at the press of a button. If the room is ventilated, the wall convector switches off automatically.



The main features

Wall mounted convector – ideal as a booster heater or interim heater for spring/autumn

500 W heating output

Even, quiet room air heating

High quality design with an aluminium front

Controls with backlit LCD

7-day timer, 120-minute short-time timer, frost protection and open window detection

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

ON/OFF switch and overheating protection

Permanent connection with pilot control cable

Made in Germany



Type	CON 5 Premium U	CON 10 Premium U	CON 15 Premium U
Part no.	201278	200268	200269

Heating output

Rated heating output P_{nom}	0,5 kW	1 kW	1,5 kW
Minimum heat output (standard value) P_{min}	0 kW	0 kW	0 kW
Maximum continuous heating output $P_{max,c}$	0,5 kW	1 kW	1,5 kW

Auxiliary power consumption

D heating output $e_{l_{max}}$	0,000 kW	0,000 kW	0,000 kW
Heat output $e_{l_{min}}$	0,000 kW	0,000 kW	0,000 kW
Dby mode $e_{l_{SB}}$	0,000 kW	0,000 kW	0,000 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	-	-	-
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	x	x	x

Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	x	x	x
With remote control option	-	-	-
With adaptive control for start of heating	x	x	x
With restricted operating times	-	-	-
With black bulb sensor	-	-	-



Type	CON 20 Premium U	CON 30 Premium U
Part no.	200270	200276

Heating output

Rated heating output P_{nom}	2 kW	3 kW
Minimum heat output (standard value) P_{min}	0 kW	0 kW
Maximum continuous heating output $P_{max,c}$	2 kW	3 kW

Auxiliary power consumption

D heating output $e_{l_{max}}$	0,000 kW	0,000 kW
Heat output $e_{l_{min}}$	0,000 kW	0,000 kW
Dby mode $e_{l_{SB}}$	0,000 kW	0,000 kW

Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-
Two or more manually adjustable stages, no room temperature control	-	-
Room temperature control with mechanical thermostat	-	-
With electronic room temperature control	-	-
Electronic room temperature control and time of day control	-	-
Electronic room temperature control and day of week control	x	x

Other control options

Room temperature control with occupancy detection	-	-
Room temperature control with open window detection	x	x
With remote control option	-	-
With adaptive control for start of heating	x	x
With restricted operating times	-	-
With black bulb sensor	-	-

Depth including wall mounting bracket

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.