

SPH 115 E

NATURAL STONE HEATERS

PRODUCT-NO.: 233669

Natural stone heaters: Cosy warmth delivered with individual charm.

These natural stone panels not only look stunning, they also give out a very pleasant heat. Thanks to a range of different designs, the natural stone heaters fit perfectly into a wide variety of interior design concepts.

Every model absolutely natural.

As every panel is made from natural stone into which only a thin cable is embedded, every heater is unique in colour and structure. Consequently, a natural stone heater lends any bathroom and living room a very special and individual kind of charm.



The main features

SPECKSTEIN natural stone heater


Pearl grey, velvety surface

1,150 W heating output

Ideal as supplementary or booster heater

Pleasant radiated heat


Portrait or landscape installation is possible



Type	SPH 35 E	SPH 65 E	SPH 85 E
Part no.	233666	233667	233668
Connected load	0,350 kW	0,650 kW	0,850 kW
Depth	70 mm	70 mm	70 mm
Height	400 mm	400 mm	500 mm
Width	600 mm	1000 mm	1000 mm

Technical data

Design	Soapstone	Soapstone	Soapstone
Natural stone	Soapstone	Soapstone	Soapstone
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Rated current	1,5 A	2,8 A	3,7 A
Weight	21 kg	35 kg	44 kg
IP-Rating	IP66	IP66	IP66
Protection class	II	II	II



Type	SPH 115 E	SPH 145 E	SPH 165 E
Part no.	233669	233670	233671
Connected load	1,150 kW	1,450 kW	1,650 kW
Depth	70 mm	70 mm	70 mm
Height	600 mm	600 mm	600 mm
Width	1000 mm	1250 mm	1350 mm

Technical data

Design	Soapstone	Soapstone	Soapstone
Natural stone	Soapstone	Soapstone	Soapstone
Power supply	1/N ~ 230 V	1/N ~ 230 V	1/N ~ 230 V
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Rated current	5 A	6,3 A	7,2 A
Weight	52 kg	62 kg	70 kg
IP-Rating	IP66	IP66	IP66
Protection class	II	II	II

Installation and commissioning of the equipment is only permitted in connection with external room temperature controllers that fulfil the following functions: Electronic room temperature control with weekday control and adaptive control of when heating starts. These requirements are fulfilled by the STIEBEL ELTRON room temperature controllers RTU-TC and SRC C digital. Failure to observe these requirements will result in a loss of the CE designation.

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.