

# SH 15 SL GB Set AX

SMALL WATER HEATERS 5 TO 15 L

PRODUCT-NO.: 227692

For installation above the draw-off point, the small water heater SH..SL is ideal, irrespective of whether you want to supply one or several draw-off points. These devices are available with capacities of 10 or 15 litres. They can be adjusted anywhere between 35 °C and 82 °C, making water with a consistent temperature available at all times. The thermal cut-out provides a permanent, safety-first maximum water temperature. This can be set to 38, 45, 55 or 65 °C. The highly effective thermal insulation of the small water heaters ensures the lowest energy losses.



## The main features

Small water heater, 15 litre capacity

---

Low standby loss power consumption

---

For one or several draw-off points

---

Splashproof to IP 24 D

---

Economy setting 60 °C

---

Installation with the KV safety assembly

---

Power cable for permanent connection, approx. 1 m



Type	SH 15 SL GB Set AX
Part no.	227692
Connected load	3,3 kW
Height	601 mm
Width	316 mm
Depth	295 mm

#### Technical data

Rated voltage	230 V
Rated output 1	1,8 kW
Rated current 1	8,3 A
Fuse 1	10 A
Frequency	50/60 Hz
Rated capacity	15 l
Power supply	1/N/PE
Standby energy consumption/24 h at 65 °C	0,4 kWh
Colour	white
IP-Rating	IP24
Energy efficiency class	A
Weight	11,1 kg
Phases	1/N/PE

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.