

SN 5 SL GB

SMALL WATER HEATERS 5 TO 15 L

PRODUCT-NO.: 221125

The SN small water heater is designed to supply one draw-off point and is mounted over the sink. The appliances can be adjusted to anywhere between 35 °C and 85 °C, making water with a consistent temperature available at all times. The high limit safety cut-out provides a constant and safe maximum water temperature. As an option, this can be set to 38 °C, 45 °C, 55 °C or 65 °C. The highly effective thermal insulation used in the small water heaters minimises energy losses.



The main features

Small water heater, 5 litre capacity

For a single draw-off point

Extremely large amount of mixed water

Low standby loss power consumption

Economy setting 60 °C

Splashproof to IP 24

Power cable for permanent connection, approx. 1 m



Type	SN 5 SL GB	SN 10 SL GB	SN 15 SL GB
Part no.	221125	222192	227682
Connected load	2 kW	2 kW	3,3 kW
Width	263 mm	295 mm	316 mm
Depth	230 mm	275 mm	295 mm
Height	420 mm	503 mm	601 mm

Technical data

Rated voltage 1	220 V	220 V	220 V
Rated output 1	1,8 kW	1,8 kW	3,0 kW
Rated current 1	8,3 A	8,3 A	13,7 A
Fuse 1	10 A	10 A	16 A
Rated voltage 2	230 V	230 V	230 V
Rated output 2	2,0 kW	2,0 kW	3,3 kW
Rated current 2	8,7 A	8,7 A	14,3 A
Fuse 2	10 A	10 A	16 A
Rated voltage 3	240 V	240 V	240 V
Rated output 3	2,2 kW	2,2 kW	3,6 kW
Rated current 3	9,1 A	9,1 A	15 A
Fuse 3	10 A	10 A	16 A
Frequency	50/60 Hz	50/60 Hz	50/60 Hz
Phases	1/N/PE	1/N/PE	1/N/PE
Rated capacity	5 l	10 l	15 l
Power supply	1/N/PE	1/N/PE	1/N/PE
Standby energy consumption/24 h at 65 °C	0,2 kWh	0,3 kWh	0,37 kWh
Colour	white	white	white

IP-Rating	IP24 D	IP24 D	IP24 D
Energy efficiency class	A	A	A
Weight	3 kg	4,6 kg	6,1 kg

oversink water heater pack that comes complete with inlet valve and outlet spout

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.