PRODUCT-NO.: 237736



EHF

CONTROL UNIT/ENERGY MANAGEMENT

Heating controller for connecting the heating circuits of an underfloor heating system to the EASYTRON individual room control system. Actuators for up to 8 channels for underfloor heating can be connected to this heating controller.



The main features

Wireless controller for underfloor heating

External aerial for optimum wireless connection

Compact design





Туре	EHF
Part no.	237736

Technical data

Installation type Protection class II (bei Montage in einem Unterverteiler) IP rating IP00 Z-Wave radio 868.42 MHz Max. relay output breaking capacity 1 A A Width 160 mm Height Depth 58 mm		
IP rating IP00 Z-Wave radio 868.42 MHz Max. relay output breaking capacity 1 A A Width 160 mm Height 91 mm	Installation type	DIN rail
Z-Wave radio 868.42 MHz Max. relay output breaking capacity 1 A A Width Height 91 mm	Protection class	in einem
Max. relay output breaking capacity 1 A A Width 160 mm Height 91 mm	IP rating	IP00
Width 160 mm Height 91 mm	Z-Wave radio	868.42 MHz
Height 91 mm	Max. relay output breaking capacity	1 A A
	Width	160 mm
Depth 58 mm	Height	91 mm
	Depth	58 mm



Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.