

WT 20

ACCESSORIES

PRODUCT-NO.: 070634

The plate heat exchanger comprises several brazed stainless steel plates with thermal insulation, and is designed for DHW heating or swimming pool water heating. For swimming pool water heating, please observe application limits.



The main features

Plate heat exchanger comprising several hard-soldered stainless steel plates

For DHW heating or swimming pool heating



Type	WT 10	WT 20	WT 30
Part no.	070633	070634	071091
Height	313 mm	313 mm	313 mm
Width	113 mm	113 mm	113 mm
Depth	99.6 mm	136.5 mm	173.5 mm

Technical data

Pressure drop, primary	70 hPa	100 hPa	90 hPa
Pressure drop, secondary	50 hPa	70 hPa	60 hPa
Primary flow rate	1,1 m ³ /h	2,3 m ³ /h	3,2 m ³ /h
Secondary flow rate	0,9 m ³ /h	1,9 m ³ /h	2,5 m ³ /h
Output	15 kW	30 kW	40 kW
Weight	4,4 kg	6,2 kg	8 kg
Connection	G 1	G 1	G 1
Liquid content	0,9 l	1,7 l	2,5 l



Type	WT 40
Part no.	229338
Height	313 mm
Width	113 mm
Depth	219.7 mm

Technical data

Pressure drop, primary	120 hPa
Pressure drop, secondary	200 hPa
Primary flow rate	6 m ³ /h
Secondary flow rate	4,8 m ³ /h
Output	50 kW
Weight	10,2 kg
Connection	G 1 / G 1 1/4
Liquid content	4,0 l

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.