


WPF 05 S










BRINE | WATER HEAT PUMPS










PRODUCT-NO.: 232922

Obligatory supplies

Article	Part no.	Type	Description
	233307	WPSE	Brine filling unit

Additional supplies

Article	Part no.	Type	Description
	234762	WPKI 6	Compact installation
	235233	MFS-WP 22	Pressure gauge filter set, Connection: G 1 A / Cu 22 x 1
	235234	MFS-WP 28	Pressure gauge filter set, Connection: G 1 1/4 A / Cu 28 x 1.5
	235218	MAG 12	Brine expansion vessel, Expansion vessel: 12 l, Inlet pressure: 0,05 MPa
	235199	SBPE 400	Buffer cylinder, Rated capacity: 396 l, Height: 1717 mm, Width: 787 mm, Depth: 852 mm
	161696	MEG 30	Heat transfer medium, 30 litres, Liquid content: 30 l
	233511	FS-WP 22	Filter assembly, Connection: G 1 A / Cu 22 x 1
	233512	FS-WP 28	Filter assembly, Connection: G 1 1/4 A / Cu 28 x 1.5
	233602	WPKI-HK E	Heating circuit assembly without mixing valve

	233603	WPKI-HKM E	Heating circuit assembly with mixing valve
	233711	STB-FB	Safety thermostat, underfloor heating system
	232461	WPSV 25-6	Brine distributor DN 20, Number of brine circuits: 6, Ball valve with clamp fitting: DN 20
	222375	WPSB 308 E	Brine assembly for the heat source system including high efficiency pump
	221135	<u>WPHW 25</u>	Low loss header, Heat pump connection: G 1 1/2, Heating connection: G 1 1/2, Flow rate: 2 m³/h
	221382	DWS1	Brine pressure switch
	185458	<u>SBP 200 E</u>	Buffer cylinder, Rated capacity: 207 l, Height: 1535 mm, Diameter incl. thermal insulation: 630 mm
	220824	<u>SBP 400 E</u>	Buffer cylinder, Rated capacity: 415 l, Height: 1710 mm, Diameter incl. thermal insulation: 750 mm
	185459	<u>SBP 700 E</u>	Buffer cylinder, Rated capacity: 720 l, Diameter incl. thermal insulation: 910 mm, Height: 1890 mm

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance.

Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.