

WRS SB 4000TL

INVERTER

PRODUCT-NO.: 273588

The new Sunny Boy without transformer is the ideal solution above all for demanding PV generators and partially shaded systems. It is highly flexible in its application, high in yield and easy to handle. The high DC voltage of 750 V results in a cost benefit due to fewer parallel strings. Furthermore, thanks to the integral power supply management functions, the appliances are suitable for universal application and make a decisive contribution to mains support.



The main features

Cable connection without tools

Bluetooth® communication

Integral web connect function to the Sunny Portal via Ethernet

Multifunction relay

Prepared for optimum STIEBEL ELTRON on-site consumption



Type	WRS SB 3000TL	WRS SB 3600TL	WRS SB 4000TL
Part no.	273596	273589	273588
Width	490 mm	490 mm	490 mm
Height	519 mm	519 mm	519 mm
Depth	185 mm	185 mm	185 mm
Weight	26 kg	26 kg	26 kg

Technical data



Type	WRS SB 5000TL
Part no.	273587
Width	490 mm
Height	519 mm
Depth	185 mm
Weight	26 kg

Technical data

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.