

# WDH 1000 SBP

ACCESSORIES

PRODUCT-NO.: 231929

High grade EPTS rigid foam thermal insulation with insulation cover and floor disc for SBP 1000-1500 buffer cylinders. Graphite inserts in the EPTS and fleece for lowest heat losses. Wedge-shaped cut-outs and fleece layer ensure an optimum match to the cylinder. Prepared adhesive joint in the wedge-shaped cut-outs enables adjustment to the shape prior to installation. External plastic jacket in white; cover in basalt grey. Thermal insulation secured with a quick-release hook strip.



## The main features

Suitability for cooling operation WDH...cool only in conjunction with cylinder SBP...E cool being pre-insulated

---

Prepared to be shaped into a semi-shell insulation

---

Graphite inclusions for best insulation properties

---

Composite thermal insulation made from rigid foam and fleece



Type	WDH 1000 SBP	WDH 1500 SBP
Part no.	231929	231930
Standby energy consumption/24 h at 65 °C	3,6 kWh	4,1 kWh
Insulation for	SBP 1000 E and E SOL	SBP 1500 E and E SOL
Height	2340 mm	2255 mm
Thickness	110 mm	110 mm

#### Technical data

---

## **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.