

WDH 1501 SBS

ACCESSORIES

The main features

Graphite inserts for good insulation properties

Two insulation semi-shells to make it easier to match the shape

Composite thermal insulation made from rigid foam and fleece

PRODUCT-NO.: 231928



WDH 601 SBS

Product-No.: 231925



WDH 801 SBS

Product-No.: 231926



WDH 1001 SBS

Product-No.: 231927



Type	WDH 601 SBS	WDH 801 SBS	WDH 1001 SBS
Part no.	231925	231926	231927

Technical data

Insulation for	SBS 601 W, W SOL	SBS 801 W, W SOL	SBS 1001 W, W SOL
Thermal insulation thickness	110 mm	110 mm	110 mm
Standby energy consumption/24 h at 65 °C	2.60 kWh	2.90 kWh	3.50 kWh



Type	WDH 1501 SBS
Part no.	231928

Technical data

Insulation for	SBS 1501 W, W SOL
Thermal insulation thickness	110 mm
Standby energy consumption/24 h at 65 °C	4.10 kWh

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.