PRODUCT-NO.: 206045



HSBC 225 S 1

DHW CYLINDER

The main features

Space saving positioning thanks to integration of DHW cylinder, buffer cylinder and hydraulic working parts into a single appliance

Suitable for high DHW demand thanks to large-area heat exchanger

The integral cylinder for DHW heating is combined with a heating heat pump and integrated into the heating system.

Installation requires little effort thanks to high level of integration including WPM heat pump manager

HSBC 225 S 1 is sold as part of a package with heat pump models WPL-A 07 HK Premium, WPL 17 Classic or WPL 25 ACS.







Туре	HSBC 225 S 1
Part no.	206045

Technical data

Energy efficiency class	А
Standby energy consumption/24 h at 65 °C	1.82 kWh
Nominal capacity, buffer cylinder	65 l
Surface area, heat exchanger	3.10 m ²
Height	1776 mm
Width	765 mm
Depth	685 mm
Height when tilted	1870 mm
Weight	79.5 kg



Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.