

SBP 1500 E

HEATING BUFFER CYLINDER

Overcome major challenges with ease

Enjoy the full range of functions Well equipped for major challenges – the larger versions of this buffer cylinder can be easily linked to large, high performance heat pumps, including cascades. This solution is also ideal if you're planning to integrate a solar thermal system or additional heat generator to charge the buffer cylinder.

The largest versions of this cylinder are the preferred option for apartment buildings. A reliable operating pressure of 10 bar helps to ensure a particularly high level of reliability.

The main features

Specifically sized for high heat pump output, for example in the form of a cascade arrangement

Can be combined with a solar thermal system (SOL version)

Thermal insulation as an optional accessory

PRODUCT-NO.: 227565



SBP 1000 E

Product-No.: 227564



SBP 1000 E SOL

Product-No.: 227566



SBP 1500 E SOL

Product-No.: 227567



Type	SBP 1000 E	SBP 1000 E SOL	SBP 1500 E
Part no.	227564	227566	227565

Technical data

Nominal capacity	1006 l	979 l	1503 l
Max. permissible pressure	0.30 MPa	0.30 MPa	0.30 MPa
Height incl. thermal insulation	2340 mm	2340 mm	2255 mm
Diameter incl. thermal insulation	1010 mm	1010 mm	1220 mm
Height when tilted	2335 mm	2335 mm	2250 mm
Weight	172 kg	219 kg	229 kg



Type	SBP 1500 E SOL
Part no.	227567

Technical data

Nominal capacity	1473 l
Max. permissible pressure	0.30 MPa
Height incl. thermal insulation	2255 mm
Diameter incl. thermal insulation	1220 mm
Height when tilted	2250 mm
Weight	285 kg

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.